

# List of Tables

Table 2-1	Guidelines and Criteria in Chapter 2 and Relation to Guidelines and Criteria in Other Chapters . . . . .	2-3
Table 2-2	Rehabilitation Objectives . . . . .	2-5
Table 2-3	Damage Control and Building Performance Levels . . . . .	2-11
Table 2-4	Structural Performance Levels and Damage—Vertical Elements . . . . .	2-11
Table 2-5	Structural Performance Levels and Damage—Horizontal Elements . . . . .	2-14
Table 2-6	Nonstructural Performance Levels and Damage—Architectural Components . . . . .	2-15
Table 2-7	Nonstructural Performance Levels and Damage—Mechanical, Electrical, and Plumbing Systems/Components . . . . .	2-16
Table 2-8	Nonstructural Performance Levels and Damage—Contents . . . . .	2-17
Table 2-9	Building Performance Levels/Ranges . . . . .	2-17
Table 2-10	Values of Exponent $n$ for Determination of Response Acceleration Parameters at Hazard Levels between 10%/50 years and 2%/50 years; Sites where Mapped BSE-2 Values of $S_S \geq 1.5g$ . . . . .	2-20
Table 2-11	Values of Exponent $n$ for Determination of Response Acceleration Parameters at Probabilities of Exceedance Greater than 10%/50 years; Sites where Mapped BSE-2 Values of $S_S < 1.5g$ . . . . .	2-21
Table 2-12	Values of Exponent $n$ for Determination of Response Acceleration Parameters at Probabilities of Exceedance Greater than 10%/50 years; Sites where Mapped BSE-2 Values of $S_S \geq 1.5g$ . . . . .	2-21
Table 2-13	Values of $F_a$ as a Function of Site Class and Mapped Short-Period Spectral Response Acceleration $S_S$ . . . . .	2-21
Table 2-14	Values of $F_v$ as a Function of Site Class and Mapped Spectral Response Acceleration at One-Second Period $S_I$ . . . . .	2-21
Table 2-15	Damping Coefficients $B_S$ and $B_1$ as a Function of Effective Damping $\beta$ . . . . .	2-23
Table 2-16	Calculation of Component Action Capacity—Linear Procedures . . . . .	2-34
Table 2-17	Calculation of Component Action Capacity—Nonlinear Procedures . . . . .	2-34
Table 2-18	Coefficient $\chi$ for Calculation of Out-of-Plane Wall Forces . . . . .	2-40
Table 3-1	Values for Modification Factor . . . . .	3-9
Table 3-2	Values for Modification Factor . . . . .	3-13
Table 4-1	Estimated Susceptibility to Liquefaction of Surficial Deposits During Strong Ground Shaking (after Youd and Perkins, 1978) . . . . .	4-3
Table 4-2	Presumptive Ultimate Foundation Pressures . . . . .	4-7
Table 4-3	Effective Shear Modulus and Shear Wave Velocity . . . . .	4-9
Table 4-4	Soil Foundation Acceptability Summary . . . . .	4-17
Table 5-1	Default Material Properties . . . . .	5-5
Table 5-2	Default Expected Material Strengths . . . . .	5-6
Table 5-3	Acceptance Criteria for Linear Procedures—Fully Restrained (FR) Moment Frames . . . . .	5-14
Table 5-4	Modeling Parameters and Acceptance Criteria for Nonlinear Procedures—Fully Restrained (FR) Moment Frames . . . . .	5-16
Table 5-5	Acceptance Criteria for Linear Procedures—Partially Restrained (PR) Moment Frames . . . . .	5-20
Table 5-6	Modeling Parameters and Acceptance Criteria for Nonlinear Procedures—Partially Restrained (PR) Moment Frames . . . . .	5-21

Table 5-7	Acceptance Criteria for Linear Procedures—Braced Frames and Steel Shear Walls . . . . .	5-26
Table 5-8	Modeling Parameters and Acceptance Criteria for Nonlinear Procedures—Braced Frames and Steel Shear Walls . . . . .	5-28
Table 6-1	Tensile and Yield Properties of Concrete Reinforcing Bars for Various Periods . . . . .	6-2
Table 6-2	Tensile and Yield Properties of Concrete Reinforcing Bars for Various ASTM Specifications and Periods . . . . .	6-3
Table 6-3	Compressive Strength of Structural Concrete (psi) . . . . .	6-4
Table 6-4	Effective Stiffness Values . . . . .	6-12
Table 6-5	Component Ductility Demand Classification . . . . .	6-14
Table 6-6	Modeling Parameters and Numerical Acceptance Criteria for Nonlinear Procedures—Reinforced Concrete Beams . . . . .	6-19
Table 6-7	Modeling Parameters and Numerical Acceptance Criteria for Nonlinear Procedures—Reinforced Concrete Columns . . . . .	6-20
Table 6-8	Modeling Parameters and Numerical Acceptance Criteria for Nonlinear Procedures—Reinforced Concrete Beam-Column Joints . . . . .	6-21
Table 6-9	Values of $\gamma$ for Joint Strength Calculation . . . . .	6-22
Table 6-10	Numerical Acceptance Criteria for Linear Procedures—Reinforced Concrete Beams . . . . .	6-23
Table 6-11	Numerical Acceptance Criteria for Linear Procedures—Reinforced Concrete Columns . . . . .	6-24
Table 6-12	Numerical Acceptance Criteria for Linear Procedures—Reinforced Concrete Beam-Column Joints . . . . .	6-25
Table 6-13	Modeling Parameters and Numerical Acceptance Criteria for Nonlinear Procedures—Two-Way Slabs and Slab-Column Connections . . . . .	6-29
Table 6-14	Numerical Acceptance Criteria for Linear Procedures—Two-Way Slabs and Slab-Column Connections . . . . .	6-30
Table 6-15	Modeling Parameters and Numerical Acceptance Criteria for Nonlinear Procedures—Reinforced Concrete Infilled Frames . . . . .	6-35
Table 6-16	Numerical Acceptance Criteria for Linear Procedures—Reinforced Concrete Infilled Frames . . . . .	6-36
Table 6-17	Modeling Parameters and Numerical Acceptance Criteria for Nonlinear Procedures—Members Controlled by Flexure . . . . .	6-43
Table 6-18	Modeling Parameters and Numerical Acceptance Criteria for Nonlinear Procedures—Members Controlled by Shear . . . . .	6-44
Table 6-19	Numerical Acceptance Criteria for Linear Procedures—Members Controlled by Flexure . . . . .	6-46
Table 6-20	Numerical Acceptance Criteria for Linear Procedures—Members Controlled by Shear . . . . .	6-47
Table 7-1	Linear Static Procedure— $m$ Factors for URM In-Plane Walls and Piers . . . . .	7-10
Table 7-2	Nonlinear Static Procedure—Simplified Force-Deflection Relations for URM In-Plane Walls and Piers . . . . .	7-11
Table 7-3	Permissible $h/t$ Ratios for URM Out-of-Plane Walls . . . . .	7-11
Table 7-4	Linear Static Procedure— $m$ Factors for Reinforced Masonry In-Plane Walls . . . . .	7-15
Table 7-5	Nonlinear Static Procedure—Simplified Force-Deflection Relations for Reinforced Masonry Shear Walls . . . . .	7-16
Table 7-6	Linear Static Procedure— $m$ Factors for Masonry Infill Panels . . . . .	7-20
Table 7-7	Nonlinear Static Procedure—Simplified Force-Deflection Relations for Masonry Infill Panels . . . . .	7-20

Table 7-8	Maximum $h_{inf}/t_{inf}$ Ratios for which No Out-of-Plane Analysis is Necessary . . . . .	7-21
Table 7-9	Values of $\lambda_2$ for Use in Equation 7-21 . . . . .	7-22
Table 8-1	Numerical Acceptance Factors for Linear Procedures—Wood Components . . . . .	8-13
Table 8-2	Normalized Force-Deflection Curve Coordinates for Nonlinear Procedures—Wood Components . . . . .	8-16
Table 8-3	Ultimate Capacities of Structural Panel Shear Walls . . . . .	8-20
Table 10-1	Limitations on Use of Simplified Rehabilitation Method . . . . .	10-18
Table 10-2	Description of Model Building Types . . . . .	10-20
Table 10-3	W1: Wood Light Frame . . . . .	10-23
Table 10-4	W1A: Multistory, Multi-Unit, Wood Frame Construction . . . . .	10-23
Table 10-5	W2: Wood, Commercial, and Industrial . . . . .	10-23
Table 10-6	S1 and S1A: Steel Moment Frames with Stiff or Flexible Diaphragms . . . . .	10-23
Table 10-7	S2 and S2A: Steel Braced Frames with Stiff or Flexible Diaphragms . . . . .	10-24
Table 10-8	S3: Steel Light Frames . . . . .	10-24
Table 10-9	S4: Steel Frames with Concrete Shear Walls . . . . .	10-24
Table 10-10	S5, S5A: Steel Frames with Infill Masonry Shear Walls and Stiff or Flexible Diaphragms . . . . .	10-25
Table 10-11	C1: Concrete Moment Frames . . . . .	10-25
Table 10-12	C2, C2A: Concrete Shear Walls with Stiff or Flexible Diaphragms . . . . .	10-26
Table 10-13	C3, C3A: Concrete Frames with Infill Masonry Shear Walls and Stiff or Flexible Diaphragms . . . . .	10-26
Table 10-14	PC1: Precast/Tilt-up Concrete Shear Walls with Flexible Diaphragms . . . . .	10-27
Table 10-15	PC1A: Precast/Tilt-up Concrete Shear Walls with Stiff Diaphragms . . . . .	10-27
Table 10-16	PC2: Precast Concrete Frames with Shear Walls . . . . .	10-28
Table 10-17	PC2A: Precast Concrete Frames Without Shear Walls . . . . .	10-28
Table 10-18	RM1: Reinforced Masonry Bearing Wall Buildings with Flexible Diaphragms . . . . .	10-28
Table 10-19	RM2: Reinforced Masonry Bearing Wall Buildings with Stiff Diaphragms . . . . .	10-29
Table 10-20	URM: Unreinforced Masonry Bearing Wall Buildings with Flexible Diaphragms . . . . .	10-29
Table 10-21	URMA: Unreinforced Masonry Bearing Walls Buildings with Stiff Diaphragms . . . . .	10-29
Table 10-22	Cross Reference Between the <i>Guidelines</i> and FEMA 178 (BSSC, 1992a) Deficiency Reference Numbers . . . . .	10-30
Table 11-1	Nonstructural Components: Applicability of Life Safety and Immediate Occupancy Requirements and Methods of Analysis . . . . .	11-2
Table 11-2	Nonstructural Component Amplification and Response Modification Factors . . . . .	11-11

